

Referencias científicas

Referencias sobre la cáscara de citrus

1. Berthiaume M, Laplante M, Festuccia WT, Cianflone K, Turcotte LP, Joannisse DR, Olivecrona G, Thieringer R, Deshaies Y. 11beta-HSD1 inhibition improves triglyceridemia through reduced liver VLDL secretion and partitions lipids toward oxidative tissues. *Am J Physiol Endocrinol Metab*. Octubre de 2007;293(4):E1045-52. Publicación electrónica 31 de julio de 2007.
2. Delaney B, Phillips K, Buswell D, Mowry B, Nickels D, Cox D, Wang HB, Manthey J. Immunotoxicity of a standardized citrus polymethoxylated flavone extract. *Food Chem Toxicol*. Noviembre de 2001;39(11):1087-94.
3. Delaney B, Phillips K, Vasquez C, Wilson A, Cox D, Wang HB, Manthey J. Genetic toxicity of a standardized mixture of citrus polymethoxylated flavones. *Food Chem Toxicol*. Mayo de 2002;40(5):617-24.
4. Desbriere R, Vuaroqueaux V, Achard V, Boullu-Ciocca S, Labuhn M, Dutour A, Grino M. 11beta-hydroxysteroid dehydrogenase type 1 mRNA is increased in both visceral and subcutaneous adipose tissue of obese patients. *Obesity (Silver Spring)*. Mayo de 2006;14(5):794-8.
5. Kawaii S, Tomono Y, Katase E, Ogawa K, Yano M. Antiproliferative activity of flavonoids on several cancer cell lines. *Biosci Biotechnol Biochem*. Mayo de 1999;63(5):896-9.
6. Kurowska EM, Manthey JA, Casaschi A, Theriault AG. Modulation of HepG2 cell net apolipoprotein B secretion by the citrus polymethoxyflavone, tangeretin. *Lipids*. Febrero de 2004;39(2):143-51.
7. Kurowska EM, Manthey JA. Hypolipidemic effects and absorption of citrus polymethoxylated flavones in hamsters with diet-induced hypercholesterolemia. *J Agric Food Chem*. 19 de mayo de 2004;52(10):2879-86.
8. Lee MJ, Fried SK, Mundt SS, Wang Y, Sullivan S, Stefanni A, Daugherty BL, Hermanowski-Vosatka A. Depot-specific regulation of the conversion of cortisone to cortisol in human adipose tissue. *Obesity (Silver Spring)*. Junio de 2008;16(6):1178-85. Publicación electrónica 3 de abril de 2008.
9. Manthey JA, Grohmann K, Montanari A, Ash K, Manthey CL. Polymethoxylated flavones derived from citrus suppress tumor necrosis factor-alpha expression by human monocytes. *J Nat Prod*. Mayo de 1999;63(3):441-4.
10. Manthey JA, Grohmann K. Phenols in citrus peel byproducts. Concentrations of hydroxycinnamates and polymethoxylated flavones in citrus peel molasses. *J Agric Food Chem*. Julio de 2001;49(7):3268-73.
11. Manthey JA, Guthrie N. Antiproliferative activities of citrus flavonoids against six human cancer cell lines. *J Agric Food Chem*. 9 de octubre de 2002;50(21):5837-43.
12. Mora A, Paya M, Rios JL, Alcaraz MJ. Structure-activity relationships of polymethoxyflavones and other flavonoids as inhibitors of non-enzymic lipid peroxidation. *Biochem Pharmacol*. 15 de agosto de 1990;40(4):793-7.
13. Paulsen SK, Pedersen SB, Fisker S, Richelsen B. 11Beta-HSD type 1 expression in human adipose tissue: impact of gender, obesity, and fat localization. *Obesity (Silver Spring)*. Agosto de 2007;15(8):1954-60.
14. Schnackenberg CG. 11beta-hydroxysteroid dehydrogenase type 1 inhibitors for metabolic syndrome. *Curr Opin Investig Drugs*. Marzo de 2008;63(3):295-300.
15. Schuster D, Maurer EM, Laggner C, Nashev LG, Wilckens T, Langer T, Odermatt A. The discovery of new 11beta-hydroxysteroid dehydrogenase type 1 inhibitors by common feature pharmacophore modeling and virtual screening. *J Med Chem*. 15 de junio de 2006;49(12):3454-66.

16. Schweizer RA, Atanasov AG, Frey BM, Odermatt A. A rapid screening assay for inhibitors of 11beta-hydroxysteroid dehydrogenases (11beta-HSD): flavanone selectively inhibits 11beta-HSD1 reductase activity. *Mol Cell Endocrinol.* 30 de diciembre de 2003;212(1-2):41-9.
17. Su X, Vicker N, Trusselle M, Halem H, Culler MD, Potter BV. Discovery of novel inhibitors of human 11beta-hydroxysteroid dehydrogenase type 1. *Mol Cell Endocrinol.* 15 de agosto de 2008.
18. Takanaga H, Ohnishi A, Yamada S, Matsuo H, Morimoto S, Shoyama Y, Ohtani H, Sawada Y. Polymethoxylated flavones in orange juice are inhibitors of P-glycoprotein but not cytochrome P450 3A4. *J Pharmacol Exp Ther.* Abril de 2000;293(1):230-6.
19. Tomlinson JW, Sherlock M, Hughes B, Hughes SV, Kilvington F, Bartlett W, Courtney R, Rejto P, Carley W, Stewart PM. Inhibition of 11beta-hydroxysteroid dehydrogenase type 1 activity in vivo limits glucocorticoid exposure to human adipose tissue and decreases lipolysis. *J Clin Endocrinol Metab.* Marzo 2007;92(3):857-64. Publicación electrónica 2 de enero de 2007.
20. Walker BR. Cortisol--cause and cure for metabolic syndrome? *Diabet Med.* Diciembre de 2006;23(12):1281-8.

Referencias sobre el Eurycoma

1. Cyranoski D. Malaysian researchers bet big on home-grown Viagra. *Nat Med.* Septiembre de 2005;11(9):912.
2. Bedir E, Abou-Gazar H, Ngwendson JN, Khan IA. Eurycomaoside: a new quassinoid-type glycoside from the roots of *Eurycoma longifolia*. *Dep. de Farmacología y química (Tokio).* Noviembre de 2003;51(11):1301-3.
3. Jiwajinda S, Santisopasri V, Murakami A, Sugiyama H, Gasquet M, Riad E, Balansard G, Ohigashi H. In vitro anti-tumor promoting and anti-parasitic activities of the quassinoids from *Eurycoma longifolia*, a medicinal plant in Southeast Asia. *J Ethnopharmacol.* Septiembre de 2002;82(1):55-8. Fe de erratas: *J Ethnopharmacol.* Marzo de 2003;85(1):173.
4. Chan KL, Choo CY. The toxicity of some quassinoids from *Eurycoma longifolia*. *Planta Med.* Julio de 2002;68(7):662-4.
5. Ueda JY, Tezuka Y, Banskota AH, Le Tran Q, Tran QK, Harimaya Y, Saiki I, Kadota S. Antiproliferative activity of Vietnamese medicinal plants. *Dep. de farmacología y química* Julio de 2002;25(6):753-60.
6. Choo CY, Chan KL. High performance liquid chromatography analysis of canthinone alkaloids from *Eurycoma longifolia*. *Planta Med.* Abril de 2002;68(4):382-4.
7. Ang HH, Hitotsuyanagi Y, Fukaya H, Takeya K. Quassinoids from *Eurycoma longifolia*. *Phytochemistry.* Abril de 2002;59(8):833-7.
8. Ang HH, Ikeda S, Gan EK. Evaluation of the potency activity of aphrodisiac in *Eurycoma longifolia* Jack. *Phytother Res.* Agosto de 2001;15(5):435-6.
9. Adimoelja A. Phytochemicals and the breakthrough of traditional herbs in the management of sexual dysfunctions. *Int J Androl.* 2000;23 Suplemento 2:82-4.
10. Chaing HS, Merino-chavez G, Yang LL, Wang FN, Hafez ES. Medicinal plants: conception / contraception. *Adv Contracept Deliv Syst.* 1994;10(3-4):355-63.
11. Le-Van-Thoi, Nguyen-Ngoc-Suong. Constituents of *Eurycoma longifolia* Jack. *J Org Chem.* Abril de 1970;35(4):1104-9.

Referencias sobre la teanina

1. Kakuda T, Yanase H, Utsunomiya K, Nozawa A, Unno T, Kataoka K. Protective effect of gamma-glutamylethylamide (theanine) on ischemic delayed neuronal death in gerbils. *Neurosci Lett*. 11 de agosto de 2000;289(3):189-92.
2. Sadzuka Y, Sugiyama T, Hirota S. Modulation of cancer chemotherapy by green tea. *Clin Cancer Res*. Enero de 1998;4(1):153-6.
3. Sadzuka Y, Sugiyama T, Miyagishima A, Nozawa Y, Hirota S. The effects of theanine, as a novel biochemical modulator, on the antitumor activity of adriamycin. *Cancer Lett*. 2 de agosto de 1996;105(2):203-9.
4. Sadzuka Y, Sugiyama T, Sonobe T. Efficacies of tea components on doxorubicin induced antitumor activity and reversal of multidrug resistance. *Toxicol Lett*. 3 de abril de 2000;114(1-3):155-62.
5. Sadzuka Y, Sugiyama T, Sonobe T. Improvement of idarubicin induced antitumor activity and bone marrow suppression by theanine, a component of tea. *Cancer Lett*. 1 de octubre de 2000;158(2):119-24.
6. Sadzuka Y, Sugiyama T, Suzuki T, Sonobe T. Enhancement of the activity of doxorubicin by inhibition of glutamate transporter. *Toxicol Lett*. 15 de septiembre de 2001;123(2-3):159-67.
7. Sadzuka Y, Yamashita Y, Sugiyama T, Sonobe T. Effect of dihydrokainate on the antitumor activity of doxorubicin. *Cancer Lett*. 28 de mayo de 2002;179(2):157-63.
8. Sugiyama T, Sadzuka Y, Tanaka K, Sonobe T. Inhibition of glutamate transporter by theanine enhances the therapeutic efficacy of doxorubicin. *Toxicol Lett*. 30 de abril de 2001;121(2):89-96.
9. Sugiyama T, Sadzuka Y. Combination of theanine with doxorubicin inhibits hepatic metastasis of M5076 ovarian sarcoma. *Clin Cancer Res*. Febrero de 1999;5(2):413-6.
10. Sugiyama T, Sadzuka Y. Enhancing effects of green tea components on the antitumor activity of adriamycin against M5076 ovarian sarcoma. *Cancer Lett*. 13 de noviembre de 1998;133(1):19-26.

Referencias sobre el té verde

1. Ahn WS, Yoo J, Huh SW, Kim CK, Lee JM, Namkoong SE, Bae SM, Lee IP. Protective effects of green tea extracts (polyphenon E and EGCG) on human cervical lesions. *Eur J Cancer Prev*. Octubre de 2003;12(5):383-90.
2. August DA, Landau J, Caputo D, Hong J, Lee MJ, Yang CS. Ingestion of green tea rapidly decreases prostaglandin E2 levels in rectal mucosa in humans. *Cancer Epidemiol Biomarkers Prev*. Agosto de 1999;8(8):709-13.
3. Benzie IF, Szeto YT, Strain JJ, Tomlinson B. Consumption of green tea causes rapid increase in plasma antioxidant power in humans. *Nutr Cancer*. 1999;34(1):83-7.
4. Chantre P, Lairon D. Recent findings of green tea extract AR25 (Exolise) and its activity for the treatment of obesity. *Phytomedicine*. Enero de 2002;9(1):3-8.
5. Chow HH, Cai Y, Alberts DS, Hakim I, Dorr R, Shahi F, Crowell JA, Yang CS, Hara Y. Phase I pharmacokinetic study of tea polyphenols following single-dose administration of epigallocatechin gallate and polyphenon E. *Cancer Epidemiol Biomarkers Prev*. Enero de 2001;10(1):53-8.
6. Dulloo AG, Duret C, Rohrer D, Girardier L, Mensi N, Fathi M, Chantre P, Vandermander J. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. Diciembre de 1999;70(6):1040-5.
7. Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord*. Febrero de 2000;24(2):252-8.

8. Elmets CA, Singh D, Tubesing K, Matsui M, Katiyar S, Mukhtar H. Cutaneous photoprotection from ultraviolet injury by green tea polyphenols. *J Am Acad Dermatol*. Marzo de 2001;44(3):425-32.
9. Gupta S, Ahmad N, Mohan RR, Husain MM, Mukhtar H. Prostate cancer chemoprevention by green tea: in vitro and in vivo inhibition of testosterone-mediated induction of ornithine decarboxylase. *Cancer Res*. 1 de mayo de 1999;59(9):2115-20.
10. Hakim IA, Harris RB, Brown S, Chow HH, Wiseman S, Agarwal S, Talbot W. Effect of increased tea consumption on oxidative DNA damage among smokers:
11. a randomized controlled study.
12. *J Nutr*. Octubre de 2003;133(10):3303S-3309S.
13. Hakim IA, Harris RB, Chow HH, Dean M, Brown S, Ali IU. Effect of a 4-month tea intervention on oxidative DNA damage among heavy smokers: role of glutathione S-transferase genotypes. *Cancer Epidemiol Biomarkers Prev*. Febrero de 2004;13(2):242-9.
14. Hodgson JM, Puddey IB, Croft KD, Burke V, Mori TA, Caccetta RA, Beilin LJ. Acute effects of ingestion of black and green tea on lipoprotein oxidation. *Am J Clin Nutr*. Mayo de 2000;71(5):1103-7.
15. Komatsu T, Nakamori M, Komatsu K, Hosoda K, Okamura M, Toyama K, Ishikura Y, Sakai T, Kunii D, Yamamoto S. Oolong tea increases energy metabolism in Japanese females. *J Med Invest*. Agosto de 2003;50(3-4):170-5.
16. Kovacs EM, Lejeune MP, Nijs I, Westerterp-Plantenga MS. Effects of green tea on weight maintenance after body-weight loss. *Br J Nutr*. Marzo de 2004;91(3):431-7.
17. Lin JK, Liang YC, Lin-Shiau SY. Cancer chemoprevention by tea polyphenols through mitotic signal transduction blockade. *Biochem Pharmacol*. 15 de septiembre de 1999;58(6911):-5-67.
18. Maron DJ, Lu GP, Cai NS, Wu ZG, Li YH, Chen H, Zhu JQ, Jin XJ, Wouters BC, Zhao J. Cholesterol-lowering effect of a theaflavin-enriched green tea extract: a randomized controlled trial. *Arch Intern Med*. 23 de junio de 2003;163(12):1448-53.
19. Pisters KM, Newman RA, Coldman B, Shin DM, Khuri FR, Hong WK, Glisson BS, Lee JS. Phase I trial of oral green tea extract in adult patients with solid tumors. *J Clin Oncol*. 15 de marzo de 2001;19(6):1830-8.
20. Weisburger JH, Rivenson A, Aliaga C, Reinhardt J, Kelloff GJ, Boone CW, Steele VE, Balentine DA, Pittman B, Zang E. Effect of tea extracts, polyphenols, and epigallocatechin gallate on azoxymethane-induced colon cancer. *Proc Soc Exp Biol Med*. Enero de 1998;217(1):104-8.